

Mind-wandering during encoding impairs recognition for both forgettable and memorable complex scenes



Shivang Shelat¹, Brecken Marome¹, Barry Giesbrecht^{1,2}, Jonathan W. Schooler¹

¹Department of Psychological & Brain Sciences, University of California, Santa Barbara

²Institute for Collaborative Biotechnologies, University of California, Santa Barbara

Background

Mind-wandering, or task-unrelated thinking, occurs often and impairs memory encoding [1].

Memorability is a stimulus-inherent attribute that predicts memory across populations [2].

Here, we investigated whether image memorability interacts with mind-wandering episodes to affect recognition memory. Subjects studied memorable or forgettable images while being probed for mind-wandering. Then, they completed an old/new recognition memory test.

Preregistered Hypotheses:

1. Mind-wandering will affect recognition performance.
2. Memorability will affect recognition performance.
3. Mind-wandering and memorability will not interact and instead uniquely predict recognition performance.

Method


Participants: $n = 60$ (39 female), $M_{\text{age}} = 18.9 \text{ years} \pm 1.02$

Design: mixed; 2 (between—memorable vs. forgettable images) \times 2 (within—mind-wandering [MW] vs. on-task [OT])

Stimuli: 24 memorable, 24 forgettable, 24 neutral scenes [3]


- matched for category, low-level visual features, and number of objects
- memorability categorization determined by hit rates in previous large-scale recognition studies [4, 5]; $M_{\text{HR}} \pm 0.5 \text{ SD}$

Metrics: hits, false alarms, d-prime, criterion




Results

Mind-wandering → worse recognition memory




Higher image memorability → better recognition memory



* $p < .05$, ** $p < .01$

Mind-wandering and memorability do not interact



Summary:

Lapsing attention impairs memory encoding regardless of stimulus memorability. Stimulus memorability does not affect mind-wandering rates. Attention and memorability during encoding are both important to consider when predicting future memory.

References: [1] Blondé et al. 2022 [2] Bainbridge 2019 [3] Bainbridge et al. 2019 [4] Isola et al. 2011 [5] Bylinskii et al. 2015

Funding: This work is supported by a NSF GRF awarded to S.S. under Grant No. 2139319 and by contract W911NF-19-2-0026 to B.G. from the US Army Research Office.

Open Science: All hypotheses, methods, and analyses were preregistered at osf.io/u3fy2.

Contact: sshelat@ucsb.edu, btmarome@ucsb.edu, giesbrecht@ucsb.edu, schooler@ucsb.edu